

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	13157	"709245,227,228,229,237".ccls. or 370/241-252,236,449,346,449,439.ccls.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 19:57
L2	128	independent adj2 ip adj address\$1	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 19:57
L3	2	1 and L2	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 19:57
L4	5373	detect\$4 with network adj connect\$4	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 19:57
L5	513	L4 and (nic or (network adj interface adj card\$1))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 19:57
L6	31	1 and L5	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 19:57
L7	31	1 and L5	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 19:57
L8	4168	ping\$4 and response and predetermined adj time\$1	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 19:58

L9	91	1 and L8	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 19:58
L10	67	(network\$3 adj3 interfac\$3 adj3 card \$3) same (request\$3 or reply or response) with (mac adj3 address\$3)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 19:58
L11	0	1 and L10	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 19:58
L12	4359	(destination or target) adj2 mac adj2 (id \$1 or identification or address\$3)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 19:58
L13	1048161	(request\$3 or query\$3)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 19:58
L14	515	L12 with L13	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 19:58
L15	39	1 and L14	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 19:58
L16	264	1 and L12	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 19:59
L17	145	709/???..ccls. and (broadcast\$4 adj3 mac\$3 adj3 address\$3)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 19:59
L18	5	1 and L17	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 19:59

L19	1	1 and "L71"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 19:59
L20	17098	370/241-251,236,449.ccls. or 709/224.ccls.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/17 19:59
L21	358	L20 and lan and (mac adj address\$2) and ("layer 2" or (data adj link\$1))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 19:59
L22	179	1 and L21	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 19:59
L23	67	chen.in. and NIC and (mac adj3 address\$3)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 20:00
L24	28	liu.in. and NIC and (mac adj3 address\$3)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 20:00
L25	0	Relatek.as. and NIC and (mac adj3 address\$3)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 20:01
L26	1	Relatek.as.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 20:01
L27	105	Rel?.as.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 20:01
L28	102	Rel\$5.as. and mac	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 20:01

L29	4	Rel\$5.as. and mac adj3 address\$3	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 20:01
L30	166	semiconductor\$3.as. and mac adj3 address\$3	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 20:02
L31	0	semiconductor\$3.as. and independent with ip	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 20:02
L32	5	semiconductor\$3.as. and independent with ip	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 20:02
L33	27220	709/245,227,228,229,237.ccls. or 370/241-252,236,449,346,449,439.ccls.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 20:10
L34	47	33 and (independen\$4 with IP).clm.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 20:10
L35	18	33 and (N/C and MAC and address).clm.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 20:10
L36	265	33 and (request\$4 and MAC and address).clm.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 20:11
L37	48	33 and (request\$4 and repl\$4 and MAC and address).clm.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 20:11
L38	66	33 and (repl\$4 and MAC and address).clm.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 20:11

L39	263	33 and (respons\$4 and MAC and address).clm.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 20:11
L40	157	33 and (request\$4 and respons\$4 and MAC and address).clm.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 20:11
S1	5	"7046666"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 16:59
S2	2	"20050160174"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 17:00
S3	4	"7046666" and (ip adj address\$1)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 17:11
S4	117	independent adj2 ip adj address\$1	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 17:19
S5	31	S4 and (370/ ??? cols.)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 17:19
S6	41	independent adj2 ip adj address\$1 and mac	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 18:28
S7	1	independent adj2 ip adj address\$1 with mac	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 18:28
S8	5	independent adj2 ip adj address\$1 same mac	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 18:29

S9	4926	detect\$4 with network adj connect\$4	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/23 21:49
S10	455	S9 and (nic or (network adj interface adj card\$1))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/23 21:57
S11	53	S9 and (nic or (network adj interface adj card\$1)) and (status adj2 connect \$4) and (mac adj address\$3)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/23 21:58
S12	23	(detect\$4 adj3 connect\$4) with lan and (mac adj address with request\$4)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/23 22:06
S13	62	(destination and source) with (mac adj address\$3) same (request or reply) adj frame\$1	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/23 22:17
S14	11	S13 and crc	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/23 22:17
S15	14	"5974452" and ip	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/23 22:24
S16	1	"20040037308" and ip	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/23 22:27
S17	894	"without" adj2 ip adj address\$2	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/23 22:28
S18	204	S17 and lan and (mac adj address\$3)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/23 22:29

S19	27	S18 and detect\$4 adj3 connect\$4	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/23 22:29
S20	32	arp adj probe\$1	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/23 22:42
S21	2	arp adj probe\$1 with mac	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/23 22:43
S22	15	arp adj probe\$1 and mac	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/23 22:43
S23	814	independent with ip adj address	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/23 22:46
S24	814	independent with (ip adj address)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/23 22:46
S25	115	S24 and lan and (mac adj address\$2)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/23 22:46
S26	30	S25 and ((connect\$4 adj3 status) or (detect\$4 with connect\$4))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/23 22:47
S27	267806	((link adj layer) or ("layer 2"))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/23 23:03
S28	221	S27 same (request\$4 or reply\$3) with (mac adj address\$3)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/23 23:04

S29	169	S28 and lan	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/23 23:04
S30	8	"6538997" and response\$1	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/23 23:25
S31	1	"7010595" and snmp	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/23 23:35
S32	1	"7010595" and source with response\$1	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/23 23:49
S33	2	"7010595" and tim\$3	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/23 23:52
S34	14	snmp adj quer\$4 with (mac adj address \$3)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/23 23:53
S35	753	(trace with request\$4) and lan	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 00:11
S36	27	(trace adj2 request\$4) and lan and (trace adj2 (reply or response\$1))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 00:11
S37	18	(trace adj2 request\$4) and (mac) and (trace adj2 (reply or response\$1))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 00:20
S38	1772	("layer 2" or (link adj layer)) with trac \$4	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 00:23

S39	90	S38 and lan	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 00:24
S40	35	S39 and mac adj address\$3	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 00:24
S41	4	"6898183"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 00:26
S42	7	"6944130"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 00:27
S43	9	("6538997").URPN.	USPAT	OR	OFF	2008/11/24 00:30
S44	34	((tracing or trace) adj2 ((request\$3 or query\$3) and (reply or response\$1)))	USPAT	OR	OFF	2008/11/24 00:35
S45	148	((tracing or trace) adj (reply or response \$1))	USPAT	OR	OFF	2008/11/24 00:50
S46	4	S45 and mac	USPAT	OR	OFF	2008/11/24 00:50
S47	31	("layer 2" or (link adj layer)) with (request\$3 and response\$1) same (mac adj address\$3)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 00:56
S48	376	trace adj response	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 01:01
S49	1	trace adj response adj node\$1	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 01:01
S50	7	trace adj response with node\$1	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 01:01

S51	9	"6538997" and source	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 01:05
S52	9	"6538997" and source\$1	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 01:05
S53	8	"6538997" and request\$3	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 01:33
S54	0	"7010595" and destination	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 02:07
S55	0	"7010595" and target	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 02:07
S56	3929	ping\$4 and response and predetermined adj time\$1	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 02:18
S57	245	ping\$4 and response and predetermined adj time\$1 and mac adj address\$3	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 02:18
S58	28	ping\$4 and response with predetermined adj time\$1 and mac adj address\$3	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 02:18
S59	15	echo adj (reply and request) adj message and predetermined adj time	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 02:21
S60	48	"5408618"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 02:29

S61	46	ping\$4 with response with predetermined adj time\$1	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 02:32
S62	0	structure with ismp with ping	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 02:38
S63	12	structure with icmp with ping	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 02:38
S64	10	structure with icmp adj packet\$1	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 02:41
S65	7440	370/241-251,236,449.ccls.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 12:34
S66	15476	370/241-251,236,449.ccls. or 709/224. ccls.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 12:34
S67	3	S66 and independent adj2 ip adj address\$1	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 12:34
S68	1	S66 and independent adj2 ip adj address\$1 same mac	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 12:34
S69	3	S66 and snmp adj quer\$4 with (mac adj address\$3)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 12:35
S70	24	S66 and "without" adj2 ip adj address \$2	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 12:35

S71	314	S66 and lan and (mac adj address\$2) and ("layer 2" or (data adj link\$1))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 12:36
S72	3084	S66 and ((connect\$4 adj3 status) or (detect\$4 with connect\$4))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 12:36
S73	150	S66 and ping\$4 and response and predetermined adj time\$1	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 12:37
S74	2	S66 and ("layer 2" or (link adj layer)) with (request\$3 and response\$1) same (mac adj address\$3)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 12:37
S75	202	S66 and (request\$4 or reply\$3) with (mac adj address\$3)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 12:38
S76	11	S66 and (request\$4 or reply\$3) with (mac adj address\$3) and opcode\$4	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 12:38
S77	23	(network\$3 adj3 interfaz\$3 adj3 card \$3) same repl\$3 same (mac adj address\$3)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 14:07
S78	23	(network\$3 adj3 interfaz\$3 adj3 card \$3) same request\$3 with (mac adj address\$3)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 17:00
S79	45	(network\$3 adj3 interfaz\$3 adj3 card \$3) same request\$3 with (mac adj address\$3)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 17:01
S80	6	(network\$3 adj3 interfaz\$3 adj3 card \$3) same request\$3 same (mac adj address\$3) and icmp\$3	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 17:04

S81	72752	(network\$3 adj3 interfac\$3 adj3 card\$3) or nic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 17:12
S82	4350	(destination or target) adj2 mac adj2 (id\$1 or identification or address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 17:13
S83	1047160	(request\$3 or query\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 17:13
S84	75	S82 adj3 S83	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 17:14
S85	11	S84 and S81	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 17:14
S86	1569	S81 same (mac adj3 address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 17:26
S87	515	S82 with S83	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 17:29
S88	33	S82 same S83 same S81	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 17:30
S89	4	(network\$3 adj2 switch\$3) with (broadcast\$4 adj3 mac\$3 adj3 address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 18:08
S90	57	(switch\$3) with (broadcast\$4 adj3 mac\$3 adj3 address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 18:12

S91	57	(switch\$3) with (broadcast\$4 adj3 mac \$3 adj3 address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 18:12
S92	1	"7333485" and (ack\$5 or reply\$3 or respon\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 18:19
S93	14	(switch\$3) with (broadcast\$4 adj3 mac \$3 adj3 address\$3) and S81	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 18:25
S94	144	709/???ccls. and (broadcast\$4 adj3 mac\$3 adj3 address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 18:40
S95	16	709/???ccls. and (broadcast\$4 adj3 mac\$3 adj3 address\$3) same switch\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 18:40
S96	59	709/???ccls. and (broadcast\$4 adj3 mac\$3 adj3 address\$3 with destination)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 18:52
S97	84382	709/???ccls. or 370/241-251,236,449. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 20:03
S98	5367	detect\$4 with network adj connect\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 20:05
S99	811	S97 and S98	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 20:05
S100	4350	(destination or target) adj2 mac adj2 (id \$1 or identification or address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 20:06

S101	1047160	(request\$3 or query\$3)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 20:06
S102	515	S100 with S101	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 20:06
S103	160	S97 and S102	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 20:06
S104	144	709/ ???ccls. and (broadcast\$4 adj3 mac\$3 adj3 address\$3)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 20:06
S105	144	S97 and S104	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 20:06
S106	72752	(network\$3 adj3 interfac\$3 adj3 card \$3) or nic	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 20:07
S107	1569	S106 same (mac adj3 address\$3)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 20:07
S108	552	S97 and S107	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 20:07
S109	4166	ping\$4 and response and predetermined adj time\$1	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 20:07
S110	519	S97 and S109	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 20:07

S111	45	(network\$3 adj3 interfac\$3 adj3 card \$3) same request\$3 with (mac adj address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 20:08
S112	18	S97 and S111	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 20:08
S113	67	(network\$3 adj3 interfac\$3 adj3 card \$3) same (request\$3 or reply or response) with (mac adj3 address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 20:08
S114	28	S97 and S113	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 20:08

7/17/2009 8:14:59 PM

C:\Documents and Settings\cgrey\My Documents\EAST\Workspaces\10630789.wsp..wsp